EPOCOAT 5100



Applications

Floors of factory, office, hospital and laboratory, etc

Features

A solvent-free type epoxy coating that has excellent chemical and abrasion resistance, impact resistance and adhes -ion It has outstanding self-leveling and appearance





Green Grey

EPOCOAT 210



Applications

Indoor floor coverings for parking lots, offices, restaurants, hospitals, factories, laboratories, etc.

Features

EPOCOAT210(SVH) mainly composed of amine-adduct epoxy resin, has excellent abrasion, corrosion, chemical, water and oil resistance with superior adhesion for concrete facilities.



Light Green









Iron Oxide

URETHANE WATERPROOF-MASTER200/355



Applications

Waterproof rooftops of buildings

Features

Mainly composed of elastic urethane resin, are designed to provide excellent water and weather resistance for rooftops. These coatings have endured excessive tests in reviewing its reactions to weather, such as contraction and inflation, by conducting tests under various temperatures.





Green

Grey

UNEXPOSED NON-TAR WATERPROOF-TAN [KS]



Applications

Waterproof in bathroom, toilet and basement

Features

Mainly composed of an elastic urethane resin, is an unexposed 2 components Non-tar urethane waterproof coating that has superior elasticity and excellent endurance to contraction and inflation caused by temperature variation and earthquakes. It is a preventive coating with superior adhesion, elasticity, durab-ility, and water and cold weather resistances.



Black

SPIROLLTAN(GLOSS)











Gloss Black



Gloss White



Orange

Ocean Blue

Green

Grey

Ivory

AI-SAENGGAK





Waterborne (Interior)





Gloss White

Gloss Black

9-30891

TX-97726

Waterborne (Exterior)









Gloss White

Gloss Black

Yellow

Red

Blue

ENAMEL











Gloss White


Gloss Black

_

Orange









Ocean Blue

Green

Grey


Ivory

SPIPOXY FD PRIMER



ENAMEL FAST-DRYING PRIMER








White



Blue



Grey



Red-Brown



Red-Brown